



دکتر الناز مصلحی فرد

دانشیار، متخصص پروتز های دندانی
دانشکده دندانپزشکی تبریز
دانشگاه علوم پزشکی تبریز
تبریز، ایران

تاریخ ورود به خدمت: ۱۳۸۵/۷/۲۰
تلفن: +۹۸-۴۱۱-۳۳۵۵۹۶۵

آدرس: انتهای خیابان گلگشت - دانشکده دندانپزشکی - بخش پروتز های دندانی
آدرس الکترونیکی: elnaz_moslehi@yahoo.com

سمت آموزشی و اجرائی : استادیار بخش پروتز های دندانی
عضو شورای پژوهشی

مدارک تحصیلی : دکترا در دندانپزشکی - دکترا در تخصصی در پروتز های دندانی

فعالیتهای آموزشی : تدریس تئوری و عملی پروتز در مقاطع دندانپزشکی عمومی و تخصصی

زمینه های مورد علاقه تحقیقاتی: ایمپلنت و مواد دندانی

کتب و مقالات علمی منتشر شده:
ترجمه کتاب ایمپلنتهای دندانی میش ۲۰۰۵

تالیف فصلی از کتاب **IMPLANT DENTISTRY**

Moslehfard E. Computer aided techniques developed for diagnosis and treatment planning in implantology in *Implant Dentistry The Most Promising Discipline of Dentistry*, Ilser Turkyilmaz (Ed). Pp.409-436. Intech publisher, 2011

مقالات چاپ شده:

1. Parnia F, **Moslehi EF**, Sadr K, Motiaghene N. Pattern of occlusal contacts in eccentric mandibular positions in Dental students. Journal of dental research, dental clinics, dental prospect 2008; 2: 85-9
2. Parnia F, **Moslehi EF**, Mahboub F, Hafezqoran A, Esmaeili FG. Tomographic volume evaluation of submandibular fossa in patients requiring dental implants.

Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology 2010; 109: 32-36
(Corresponding author)

3. Mahboub F, Moslehifard E, Geramipanah F, Hajmiraga H. Prosthodontic rehabilitation of a bruxer patient with severely worn dentition: A clinical case report. Journal of dental research, dental clinics, dental prospect. 2009; 3:28-31

4. Parnia F, Hafezquran A, Moslehifard E, Mahboub F, Nahaei M, Dibavar MA. Effect of different disinfectants on staphylococcus aureus and candida albicans transferred to alginate and polyvinylsiloxane impression materials. Journal of dental research, dental clinics, dental prospect. 2009; 3:122-125

5. Parnia F, Hafezqoran A, Mahboub F, Moslehifard E, Koodaryan R, Moteyagheni R, Salehsaber F. Proportions of Maxillary Anterior Teeth Relative to Each Other and to Golden Standard in Tabriz Dental Faculty Students. Journal of dental research, dental clinics, dental prospect. 2010; 4(3):83-86

6. Nokar S, Moslehifard E, Bahman T, Bayanzadeh M, Nasirpouri F, Nokar A. Accuracy of Implant Placement Using a CAD/CAM Surgical Guide: An In Vitro Study. Int J Oral Maxillofac Implants 2011; 26: 520–526. **(Corresponding author)**

7. الناز مصلحی فرد، شیما صفاییان. بازسازی پروتزی در یک بیمار با میکروستومیا- (گزارش مورد). مجله دندانپزشکی دانشکده دندانپزشکی دانشگاه علوم پزشکی تهران، دوره ۲۴، شماره ۲؛ تابستان ۹۰. ص. ۱۲۱-۱۲۵.

8. الناز مصلحی فرد، فرهنگ محبوب. ساخت پروتز چشم اختصاصی: گزارش مورد. مجله دندانپزشکی جامعه اسلامی دندانپزشکان، دوره ۲۳، شماره ۳، پائیز ۱۳۹۰. ص. ۱۷۷-۱۸۱.

9. Moslehifard E, Nikzad S, Geramipanah F, Mahboub F. (2011). Full mouth rehabilitation of a patient with severely worn dentition and uneven occlusal plane: A Clinical Case Report. Journal of Prosthodontics. J Prosthodont 2012 Jan; 21(1):56-64. **(Corresponding author)**

10. Parnia F, Moslehifard E, Hafezqoran A, Mahboub F, MojaverKahnamoui H. Characteristics of anatomical landmarks in the mandibular interforaminal region: A cone-beam computed tomography study. Med Oral Patol Oral Circ Bucal 2012 May; 17(3):420-425. **(Corresponding author)**

11. Moslehifard E, Nokar s. Designing a Custom Made Gauge Device for Application in the Access Hole Correction in the Dental Implant Surgical Guide. Indian Prosthodontic Society 2012 Apr-June; 12(2): 123-129. **(Corresponding author)**

12. Moslehifard E, Nasirpouri F, Mahboub F, Salehjou M, Gasemzade S. Influence of chemical disinfection on the mechanical properties and structure of the type III and IV dental stones. Advances in Applied Ceramic Functional and Bioceramics 2012; 111(8): 450- 458.
(Corresponding author)

13. Robati Anaraki M, Moslehifard E, Aminifar S, Ghanati H. Effect of microwave disinfection on compressive and tensile strengths of dental stones. *J Dent Res Dent Clin Dent Prospects*. 2013; 7(1): 42-6.
14. Moslehifard E, Nasirpouri F, Gasemzadeh S. Effect of disinfectants on the hardness of dental stones. *Journal of Islamic dental association of IRAN* 2013; 25(2): 127- 133. (**Corresponding author**)
15. Robati Anaraki M, Lotfipour F, Moslehifard E, Momtaheni A, Sigari P. Effect of different energy levels of microwave on disinfection of dental stone casts. *Journal of dental research, dental clinics, dental prospect* 2013; 7 (3): 140- 146. (**Corresponding author**)
16. Parnia F, Hafezeqoran A, Mahmoudian B, Saati E, Moslehifard E, Koodaryan R, Mahboub F. Comparison of different cleaning procedures of implant drills using TC⁹⁹. *Implant dentistry* 2013; 22 (6): 627-30.
17. Moslehifard E, Farid F. Single Tooth Replacement Using InCeram Resin Bonded Fixed Partial Denture: A Clinical Report. *Journal of dentistry (Tehran)* 2014; 11(1):106-110. (**Corresponding author**)
18. Shirkavand S, Moslehifard E. Effect of TiO₂ nanoparticles on tensile strength of dental acrylic resins. *Journal of dental research, dental clinics, dental prospect* 2014; 8 (4):197-203. (**Corresponding author**)
19. Moslehifard E, Lotfipour F, Robati MA, Shafee E, Tamjid-Shabestari S, GHaffari T. Efficacy of disinfection of dental stone casts:Virkon versus sodium hypochlorite . *Journal of dentistry (Tehran)* 2014; 12(3): 206-215
20. Parnia f, Moslehifard E, Motayageni N, Pournasrollah A. A time-saving method for transferring occlusal vertical dimension and centric relation of complete denture to a full arch implant prosthesis *Journal of contemporary dental practice*2014; 15(5) . (**Corresponding author**)
21. Anaraki MR, Moslehifard E, Bahari M, Mahboubi S. Effect of repeated microwave disinfection on surface hardness and dimensional accuracy of two dental stone materials. *Advances in biocience and clinical medicine* 2014; 3 (1):17-24
22. Anaraki MR, Akhi MT, Pirzadeh T, Moslehifard E, Ghanati H, Mosavi A, Khorramdel A. Efficacy of microwave disinfection on moist and dry dental stone casts with different irradiation times.*Advances in biocience and clinical medicine*2015; 5(3): 40-48
23. Ali Hafezeqoran, Elnaz Moslehifard, Roodabeh Koodaryan. Attitude of dental prostheses residents of faculty of dentistry of Tabriz university of medical sciences to

objective structured clinical examination (OSCE). Res Dev Med Edu 2015; 4(2):141-146.

24. Esmaili F, Mahboub F, Moslehifard E, Pouralibaba F, Ostadrahimi A, Mahboub S. Comparison of nutritional status of conventional complete denture wearers and persons with natural dentition based on anthropometric indices. The Journal of Urmia University of Medical Sciences 2016; 27(1):46-50.
25. Ghaffari T, Barzegar A, Hamedirad F, Moslehifard E. Effect of nanoclay on thermal conductivity and flexural strength of polymethyl methacrylate acrylic resin. J Dent Shiraz Univ Med Sci 2016; 17(2):121-127.
26. Moslehifard E, Khosronejad N, Fahimpour F. Comparison of the effect of Nd:YAG laser and sandblasting on shear bond strength of a commercial Ni-Cr alloy to porcelain. Journal of dental materials and techniques 2016; 5(3):114-119.
27. Nasirpouri F, Yousefi I, Moslehifard E, Khalil-Allafi J, Tuning surface morphology and crystallinity of anodic TiO₂ nanotubes and their response to biomimetic bone growth for implant applications, Surface and Coatings Technology 315, 163-171. (Corresponding author)
28. Moslehifard E, Moslehifard M, Ghasemzadeh S, Nasirpouri F. Effect of pH on corrosion behavior of nickel-base dental casting alloys in artificial saliva by weight loss and polarization methods. Front Dent 2019; 16(1): 13-20. . (Corresponding author)
29. Moslehifard E, Ghaffari T, Zarei Kh. Evaluation of the effect of two denture disinfectants on the surface roughness of conventional heat-cured acrylic and tio2-reinforced acrylic resins. J Biochem Tech 2018; 2: 106-112.
30. Effect of adding tio2 nanoparticles on the SEM morphology and mechanical properties of conventional heat-cured acrylic resin. Journal of dental research, dental clinics, dental prospect 2019; 13 (3):234-240.
31. Effect of thermal and mechanical cycles on shear bond strength of zirconia core to porcelain veneer under different surface treatments. Journal of dental research, dental clinics, dental prospect 2019; 13 (3):227-233.
32. Moslehifard E, ghasemzadeh S, Nasirpouri F. Influence of pH level of artificial saliva on corrosion behavior and nickel ion release of a Ni-Cr-Mo alloy: an in vitro study. Anti corrosion Methods and Materials 2019; 66(6): 746-756.
33. Firouzi-Nerbin H, Nasirpouri f, Moslehifard E. Pulse electrodeposition and corrosion properties of nanocrystalline nickel-chromium alloy coatings on copper substrate. Journal of Alloys and Compounds 2020; 822(5): 153712.
34. Moslehifard E, Ghaffari T, Mohammadian-Navid S, Ghafari-Nia M, Farmani A, Nasirpouri F. Effect of chemical passivation on corrosion behavior and ion release of a commercial chromium-cobalt alloy. J Dent Res Dent Clin Dent Prospects. 2020; 14(3):171-176

۳۵. مصلحی فرد الناز، غفاری طاهره، فرهنگی نگین. بررسی خصوصیات کیفی دنچر قبلی در بیماران مراجعه کننده به بخش پروتز دانشکده دندانپزشکی تبریز در طی ۱۰ سال. مجله دندانپزشکی. ۹۶-۱۰۱؛ ۳۳ (۲) :

۳۶. مصلحی فرد الناز. بررسی اثر غیر فعال کردن شیمیایی بر خوردگی یک نوع آلیاژ کروم کبالت دندانی: ت میکروسکوپی و آنالیز سطح. مجله تحقیق در علوم دندانپزشکی. ۱۳۹۹: ۲۹۶-۳۰۴: (۴) ۱۷

خلاصه مقالات ارائه شده :

اندازه گیری دقت دو نوع راهنمای جراحی مختلف در جراحی های ایمپلنت. (در ششمین کنگره بین المللی پروستودنتیستها)

مروری بر گزارشات گذشته و یک مورد بازسازی دنتیشن سایش یافته همراه با پلن اکلوزال ناهماهنگ. (در هفتمین کنگره بین المللی پروستودنتیستها)

ملاحظات ارتو-پروتز برای فقدان مادرزادی لترالهای مانکریلا. (در هشتمین کنگره بین المللی پروستودنتیستها)

درمان انودنتیک و Forced Eruption : روشهای حفظ دندانهای با پروگنوژ مشکوک (در دوازدهمین کنگره بین المللی انجمن انودنتیستهای ایران)

روش قدم به قدم ساخت پروتز اوکولار برای جلب حداقل رضایت بیمار. (در نهمین کنگره بین المللی پروستودنتیستها)

تکنیکهای رژنراتیو برای درمان دیفتکتهای انودنتیک و پریونتال. (در نهمین کنگره بین المللی پریونتولوژی)

تأثیر پروتزهای ثابت معمول (کراون و بریج) بر سلامت پریونتیوم. (در نهمین کنگره بین المللی پریونتولوژی)

نقش اپلائنس اکلوزالی در درمان اختلالات مفصل تمپوروماندیبولا. (در دهمین کنگره بین المللی پروستودنتیستها)

انتخاب ابامنت به عنوان یک مرحله کلیدی در درمان ایمپلنت. (در دهمین کنگره بین المللی پروستودنتیستها)

پروسه های قالبگیری و ساخت تری سکشنال جهت بیمار اسکلرودرمی : گزارش مورد. (در دهمین کنگره بین المللی پروستودنتیستها)

مروری بر مطالعات گذشته در مورد نظریه منطقه خنثی همراه با گزارش چند مورد بیمار درمان شده با این روش (یازدهمین کنگره بین المللی پروستودنتیستها)

اوردنچر متکی بر ایمپلنت فک پایین : اتفاقیت بال یل بار؟ (یازدهمین کنگره بین المللی پروستودنتیستها)

Moslehifard E, Moslehifard M. Submerged framework bridge: A conservative method for replacement of missing teeth. 12 th international congress of Iranian academy of restorative dentistry 2012

Moslehifard E, Nasirpour F. Magnetic field assisted osseointegration on nanotubular titanium oxide films for dental implant applications. V Euro-Asian symposium. Russia

عضویت در انجمن‌های علمی:

انجمن پروستودونتیست‌های ایران

انجمن دندانپزشکان عمومی

جوایز:

مقاله پژوهشی برتر در رشته پروتزهای دندانی در جشنواره علمی پژوهشی شهید دکتر احمد هدایت در سال ۱۳۹۱
مقاله پژوهشی برتر در رشته پروتزهای دندانی در جشنواره علمی پژوهشی شهید دکتر احمد هدایت در سال ۱۳۹۳

طرحهای تحقیقاتی به اتمام رسیده:

اثر استفاده از دستگاه مایکروویو در مقایسه با هیپوکلریت سدیم ۵۲٪ / ۵٪ در استریل نمودن کست‌های ساخته شده از استون دندانی تیپ ۳، آلوده شده با سویه‌های میکربی

مقایسه ویرکن ۱٪ با هیپوکلریت سدیم ۵٪ / ۰٪ به روش اسپری در ضد عفونی نمودن کست‌های ساخته شده از استون دندانی تیپ ۳، آلوده شده با سویه‌های باکتریایی و قارچی در فواصل زمانی مختلف

مقایسه استحکام فشاری و کششی قطری کست‌های دندانی تهیه شده از استون دندانی تیپ III پس از ۷ بار ضد عفونی کست با محلول ویرکن ۱٪ و هیپوکلریت سدیم ۵٪ .٪

مقایسه وضعیت تغییه ای افراد دارای پروتز کامل و افراد دارای سیستم دندانی طبیعی بر اساس شاخصهای تن سنجی

مقایسه کارایی استفاده از دستگاه مایکروویو در ضد عفونی کستهای ساخته شده از استون دندانی تیپ ۳، آلوده شده با سویه‌های باکتریایی و قارچی در حالت خشک و مرطوب

مقایسه استحکام فشاری، کششی، خمشی و مقاومت ضربه رزین آکریلی تقویت شده با نانو ذرات تیتانیوم دی اکساید با رزین آکریلی معمولی

بررسی چگونگی خوردگی آلیاژ نیکل-کروم در بزاق مصنوعی

تأثیر ضد عفونی کردن مکرر با مایکروویو بر سختی سطحی و دقت ابعادی دو استون دندانی نوع ۴

بررسی خصوصیات کیفی دنچر قبلی در بیماران مراجعه کننده به بخش پروتز دانشکده دندانپزشکی تبریز از سال ۱۳۸۰ تا ۱۳۹۰
مقایسه اثر کاربرد لیزر Nd/YAG و سند بلاست بر زیری سطحی یک نوع آلیاژ نیکل-کروم تجاری و استحکام برشی باند با پرسلن

تأثیر سیکل حرارتی و مکانیکی بر استحکام باند برشی کور زیرکونیایی به ونیر پرسلنی تحت اماده سازی های سطحی مختلف

بررسی اثر دو نوع ماده ضد عفونی کننده ننچر بر زبری و میکروهاردنس سطحی آکریل گرمما پخت معمولی و آکریل تقویت شده با نانوذرات TiO_2

بررسی اثر رونین شدن شیمیایی بر روی رفتار خوردگی یک نوع آلیاژ کبالت کروم تجاری

بررسی اثر رونین شدن شیمیایی بر روی انحلال یونی یک نوع آلیاژ کبالت کروم تجاری